WHAT IS CLAIMED IS:

2

A medical robotic system, comprising: a robotic arm; a coupler that 1 1. pivotally attaches to the arm; an endoscopic surgical instrument that is held by said coupler; a 2 3 controller having a handle, the controller in electrical communication with the robotic arm wherein movement at the handle produces a proportional movement of the surgical 4 instrument; and means for adjusting the proportionality of movement between the handle and 5 the instrument. 6 2. The system of Claim 1 wherein said coupler removably attaches to said 1 2 robotic arm. 1 3. The system of Claim 1 wherein said endoscopic surgical instrument is an articulable endoscopic surgical instrument. 2 The system of Claim 1 wherein the articulable surgical instrument 1 4. 2 comprises a base, a pivot linkage, and a distal end. 5. The system of Claim 4 wherein a movement at the controller results in 1 2 corresponding movement of the distal end of the articulable surgical instrument relative to the base of the articulable surgical instrument. 3 1 6. The system of claim 1 wherein the coupler has an aperture formed 2 therethrough. A medical robotic system, comprising: a robotic arm; a coupler that 1 7. 2 pivotally attaches to the arm; an endoscopic surgical instrument that is held by said coupler; a 3 controller having a removably attachable handle, the controller in electrical communication 4 with the robotic arm wherein movement at the handle produces a proportional movement of 5 the surgical instrument. 1 8. The system of claim 7 further comprising a plurality of removably attachable handles, wherein a surgeon may interchange said handles. 2 The system of Claim 7 further comprising a handle stand, wherein said 1 9.

attachable handle is removably attached to said handle stand.

1	10.	The system of Claim 7 wherein said handle stand comprises means for
2	tilting said stand.	
1	11.	The system of Claim 7 wherein said handle stand comprises means for
2	raising and lowering said stand.	
1	12.	The system of Claim 7 wherein said handle stand comprises means for
2	adjusting distance between the handles portions of said handle stand.	
1	13.	The system of Claim 1 further comprising an audio feedback device
2	for providing audio messages.	
1	14.	A medical robotic system, comprising:
2		at least two robotic arms;
3		a controller having at least one handle, the controller in electrical
4	communication wit	h the robotic arms wherein movement at a handle produces a proportional
5	at a corresponding arm; and	
6	1 0	means for switching connections between a handle of the controller
7	and a specific one of	of the robotic arms such that a single handle may control a plurality of
8	robotic arms.	- uno roccoso unano construir a canagara camana a canagara canana a canagara canana a canagara canana a canagar
1	15.	The system of Claim 14 wherein the means for switching comprises a
2	voice recognizer.	The system of Claim 14 wherein the means for switching comprises a
1	16.	The system of claim 14 wherein the means for switching comprises a
2	switching device.	The system of claim 14 wherein the means for switching comprises a
2	switching device.	
1	17.	A medical robotic system, comprising:
2		a robotic arm;
3		a coupler that pivotally attaches to the arm;
4		an endoscopic surgical instrument that is held by said coupler;
5		a controller having a handle, the controller in electrical communication
6	with the robotic arm	wherein movement at the handle produces a proportional movement of
7	the surgical instrument; and	
8		a stabilizer attached to the surgical instrument.

18. The system of claim 17 wherein said stabilizer is comprised of plastic.